This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER: ____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.





United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/822,441	03/30/2001	Dmitri Loguinov	US 010021	8462	
24737 7	7590 08/16/2004		EXAM	EXAMINER	
PHILIPS INTELLECTUAL PROPERTY & STANDARDS			NGUYEN,	NGUYEN, THANH T	
P.O. BOX 300 BRIARCLIFF	OX 3001 CLIFF MANOR, NY 10510		ART UNIT	PAPER NUMBER	
			2144		
			DATE MAILED: 08/16/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

4	Application No.	Applicant(s)			
	09/822,441	LOGUINOV ET AL.			
Office Action Summary	Examiner	Art Unit			
	Tammy T Nguyen	2144			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period who are to reply within the set or extended period for reply will, by statute, any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from to cause the application to become ABANDONE	ely filed s will be considered timely. the mailing date of this communication.			
Status					
Responsive to communication(s) filed on <u>30 M</u> . This action is FINAL . 2b)⊠ This Since this application is in condition for alloware closed in accordance with the practice under E.	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ⊠ Claim(s) 1-16 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) □ Claim(s) is/are allowed. 6) □ Claim(s) 1,2,5-7 and 10-14 is/are rejected. 7) ⊠ Claim(s) 3,4,8,9,15 and 16 is/are objected to. 8) □ Claim(s) are subject to restriction and/or					
Application Papers					
9) The specification is objected to by the Examiner 10) The drawing(s) filed on 30 March 2001 is/are: a Applicant may not request that any objection to the o Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Examiner	a) \boxtimes accepted or b) \square objected to drawing(s) be held in abeyance. See on is required if the drawing(s) is obje	37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori application from the International Bureau * See the attached detailed Office action for a list of 	have been received. have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No d in this National Stage			
Attachment(s)					
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date <u>July 26, 2002</u>. Information Disclosure Statement(s) 	4) Interview Summary (Paper No(s)/Mail Dat 5) Notice of Informal Pa 6) Other:	e			



United States Patent and Trademark Office

COMMISSIONER FOR PATEN UNITED STATES PATENT AND TRADEMARK OFFI Washington, D.C. 202 www.uspto.ç

Detailed Office Action

- 1. This action is in response to the application 09/822,441 filed. March 30, 2001.
- 2. Claims 1-16 have been examined.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 4. Claims 1,2,5,6,7,10-14 are rejected under 35 U.S.C. 102(e) as being anticipated by Injong Rhee. (USPN 6,421,387 Date of Patent: July 16, 2002, herein referred to as "Rhee").
- 5. As to claim 1, Rhee teaches the invention as claimed, including a method for estimating retransmission timeout (RTOj) used in a communication system to

support multiple retransmission of the same packet between a server and a client, the method comprising the steps of: (a) transmitting a plurality of data packets from said server to said client (col.5, lines 10-15, and col.7, lines 38-45); (b) transmitting a negative acknowledgment (NACK) packet for retransmission by said client if one of said data packets is missing (col.6, lines 20-30); (c) computing a round-trip delay (RTT) corresponding to a latency between sending said NACK packet to said server and receiving the corresponding retransmission of said missing packet from said server (col.6,lines 5-19, and col.14, lines 8-20);(d) calculating a plurality samples of delay (j) between the reception adjacent packets of said plurality of data packets by said client (col.13, lines 40-60); (e) determining a smoothed inter-packet delay variance (SVAR j) based on said calculated delay samples (smoothed inter-packet delay as show in Fig.9,14, and col.15, lines 35-50); and (f)computing said RTOJ based on said determined RTT, and said determined smoothed inter-packet delay variance (fig.15, and col.16, lines 5-15).

- 6. As to claim 2, Rhee teaches the invention as claimed, further comprising the step of controlling retransmission of said NACK based on said computed RTOj, said computed RTOj being a delay between subsequent transmissions of said NACK packet from said client to said server (col.13, lines 40-60).
- 7. As to claim 5, Rhee teaches the invention as claimed, wherein the communication link between said server and said client comprises at least one of a wireless communications link, a wired communication link, and the combination of a

wired communication link and a wireless communications link (col.2, lines 30-43, and col.6, lines 51-65).

- 8. As to claim 6, Rhee teaches the invention as claimed, including a method for managing transmission of a plurality of data packets over a communications link between a server system and a client system; the method comprising the steps of: (a) transmitting a plurality of burst packets from said server to said client (col.5, lines 10-15, and col.7, lines 38-45); (b) transmitting a negative acknowledgment (NACK) packet for retransmission by said client if one of said burst packets is lost (col.6, lines 20-30, and col.15, lines 38-45);(c) determining a round-trip delay (RTTi) corresponding to the actual time between the transmitting said NACK packet by said client and a determination by said client said lost burst packets was transmitted successfully (col.11, lines 33-37); (d) calculating a plurality samples of inter-burst delay (j) between the reception of adjacent burst packets of said plurality of burst packets by said client (col.13, lines 40-60); (e)determining a smoothed inter-burst delay variance (SVAR j) based on said calculated interburst delay samples (smoothed inter-packet delay as show in Fig. 9, 14, and col. 15, lines 35-50); and, (f) computing said RTOj based on said determined RTT and said determined smoothed inter-burst delay variance (fig. 15, and col. 16, lines 5-15).
- 9. As to claim 7, Rheeteaches the invention as claimed, further comprising the step of controlling multiple retransmission of said NACK based on said computed RTOj, said computed RTOj being a delay between subsequent transmissions of said NACK packet from said client to said server (col.13, lines 40-60).

- 10. As to claim 10, Rhee teaches the invention as claimed, wherein said communication link between said server and said client comprises at least one of a wireless communications link, a wired communication link, and the combination of a wired communication link and a wireless communications link (col.2, lines 30-43, and col.6, lines 51-65).
- 11. As to claim 11, Rhee teaches the invention as claimed, including a system for estimating retransmission timeout (RTO) used in a communication system to support multiple retransmission of the same packet between a server system and a client system, comprising: means for controlling said multiple retransmissions of a data packet between said server system and said client system over said communication link based on an actual around-trip delay (RTT) (col.14,lines 8-20) and a smoothed inter-packet delay variance (SVAR j) associated with said client system (fig.14), said RTT being a latency between sending a negative acknowledgment (NACK) packet to said server system responsive to a lost packet and receiving the corresponding retransmission of said lost packet from said server, said smoothed inter-packet delay variance (SVAR j) being variation of delays before and after each received packet or burst of packets, whereby the over-estimation and under-estimation of said RTO is relatively minimized (col.13, line 40 to col.14, line 20).
- 12. As to claim 12, Rhee teaches the invention as claimed, including a system for managing transmission of a plurality of data packets over a communications link between a server system and a client system, comprising; means for receiving said data packets in the form of frame comprised of packets (col.9, lines 45-50); means

for determining whether any frame packets were lost during transmission (frame packets lost during transmission as show in fig.4); means for requesting that any lost frame packets be retransmitted (after receiving a NACK for lost packets then retransmission packet also show in fig.4); means for determining a round-trip delay (RTTi) corresponding to a latency between requesting retransmission of said lost frame to said server and receiving the corresponding retransmission of said lost frame from said server (col.6, lines 40-50); means for determining interburst packet delay variations (col.13, lines 45-67, and col.14, lines 8-22); and means for determining a retransmission timeout (RTOJ) based on said determined RTT and said determined inter-burst delay variations (col.15, lines 1-46).

- 13. As to claim 13, Rhee teaches the invention as claimed, wherein said means for determining said RTOj further comprises a means for determining an inter-burst delay (j) between the reception of a first packet of said lost burst packets and a last packet of a prior burst packets (col.16, lines 5-15); and, a means for determining a smoothed inter-burst delay variance (SVAR j) (Fig.14).
- 14. As to claim 14, Rhee teaches the invention as claimed, further comprising a means for controlling multiple retransmission of said NACK based on said computed RTOj, said computed RTOj being a delay transmission of said NACK packet from said client to said server (col.13, lines 40-60).

Allowable Subject Matter

15. Claims 3,4, 8,9, 15, and 16 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

16. Any inquiries concerning this communication or earlier communications from the examiner should be directed to **Tammy T. Nguyen** who may be reached via telephone at **(703)** 305-7982. The examiner can normally be reached Monday through Friday between 8:00 a.m. and 6:00 p.m. eastern standard time.

If you need to send the Examiner, a facsimile transmission regarding this instant application, please send it to (703) 872-9306. If attempts to reach the examiner by telephone are unsuccessful, the Examiner's Supervisor, Bill Cuchlinski, may be reached at (703) 308-3873.

TTN August 5, 2004

AMELIAM A CHCHLINSKI, JR.

EL WOLJOY BENTER 2600